


RIDUZIONE CONCENTRICA A SALDARE SP. 2


NORMATIVA: EN 10253-3



DN	DN2	D1 mm	D2 mm	H mm
10	8	17.2	13.7	38
15	8	21.3	13.7	38
15	10	21.3	17.2	38
20	8	26.9	13.7	38
20	10	26.9	17.2	38
20	15	26.9	21.3	38
25	8	33.7	13.7	51
25	10	33.7	17.2	51
25	15	33.7	21.3	51
25	20	33.7	26.9	51
32	10	42.4	17.2	51
32	15	42.4	21.3	51
32	20	42.4	26.9	51
32	25	42.4	33.7	51
40	10	48.3	17.2	64
40	15	48.3	21.3	64
40	20	48.3	26.9	64
40	25	48.3	33.7	64
40	32	48.3	42.4	64
50	10	60.3	17.2	76
50	15	60.3	21.3	76
50	20	60.3	26.9	76
50	25	60.3	33.7	76
50	32	60.3	42.4	76

RIDUZIONE CONCENTRICA A SALDARE SP. 2


NORMATIVA: EN 10253-3



DN	DN2	D1 mm	D2 mm	H mm
50	40	60.3	48.3	76
65	15	76.1	21.3	89
65	20	76.1	26.9	89
65	25	76.1	33.7	89
65	32	76.1	42.4	89
65	40	76.1	48.3	89
65	50	76.1	60.3	89
80	15	88.9	21.3	89
80	20	88.9	26.9	89
80	25	88.9	33.7	89
80	32	88.9	42.4	89
80	40	88.9	48.3	89
80	50	88.9	60.3	89
80	65	88.9	76.1	89
90	25	101.6	33.7	98
90	32	101.6	42.4	98
90	40	101.6	48.3	98
90	50	101.6	60.3	98
90	65	101.6	76.1	98
90	80	101.6	88.9	98
100	25	114.3	33.7	102
100	32	114.3	42.4	102
100	40	114.3	48.3	102
100	50	114.3	60.3	102

RIDUZIONE CONCENTRICA A SALDARE SP. 2

NORMATIVA: EN 10253-3



DN	DN2	D1 mm	D2 mm	H mm
100	65	114.3	76.1	102
100	80	114.3	88.9	102
100	90	114.3	101.6	102
125	32	139.7	42.4	127
125	40	139.7	48.3	127
125	50	139.7	60.3	127
125	65	139.7	76.1	127
125	80	139.7	88.9	127
125	90	139.7	101.6	127
125	100	139.7	114.3	127
150	40	168.3	48.3	140
150	50	168.3	60.3	140
150	65	168.3	76.1	140
150	80	168.3	88.9	140
150	90	168.3	101.6	140
150	100	168.3	114.3	140
150	125	168.3	139.7	140
200	50	219.1	60.3	152
200	65	219.1	76.1	152
200	80	219.1	88.9	152
200	90	219.1	101.6	152
200	100	219.1	114.3	152
200	125	219.1	139.7	152
200	150	219.1	168.3	152